



**Mobile marking devices
for diverse use.**

**MOBILE
MARKING TECHNOLOGY**

Competent

- Precision parts
- Marking devices
- Stamps
- Scanners

Sustainable

Precision parts for long-term use

Partnership

with everything from one source

Made in
Germany

Service-orientated

Best technical support by hotline or as project support

Worldwide

representation and professional availability

A history of more than 110 years:

**Black-Forest
precision meets
innovation**

This is
REINER

Founded by Ernst Reiner in 1913, the family-owned company based in Furtwangen in the Black Forest currently maintains the three divisions of precision technology, marking/stamps, and scanners. REINER is a market leader for stamps in Europe and for OCR printing and scanning systems in Germany. 150 motivated and qualified employees develop and produce to the highest quality standards.

New technologies and state-of-the-art production facilities enable cost-effective and high-precision manufacturing. With national and international representatives as well as its subsidiary REINER SCT, REINER is represented in all key markets across Europe. The subsidiary Horray serves as the company's in-house property management firm. In addition, Ernst REINER GmbH & Co. KG holds a majority stake in YAXI GmbH. Whether in industry, public administration, or banking—REINER products are used everywhere!



Marking devices



Stamps



Scanners



Precision parts

YOUR CHOICE, YOUR
INDIVIDUAL
SOLUTION ...

REINER marking
Marking devices for any need: the handy
and process-optimised solution for mobile
use, just where it is needed.



There is an industrywide demand for functional marking solutions. They are needed to comply with laws or internal specifications, to permit tracking, or to monitor serial production. The handy REINER marking devices are characterised by their diverse usage options and long service lives.

The print images can be easily made to individual requirements. They are smear-resistant and will adhere to many different surfaces. Data transfer is possible through various systems.

PRINTABLE MATERIALS...

WHAT TO PRINT...



ABSORBENT SURFACES

Due to the REINER ink quality, very durable print images can be created on absorbent surfaces, such as wood, paper, pallets, or cardboard. The marking always remains optimally legible and thereby ensures smooth processes. One of our inks is even document-proof, as well as audit-proof and legally compliant.

Beyond that, there is no longer any need for the elaborate use of labels. Printing protects the environment.

NON-ABSORBENT SURFACES

No smudging, no peeling – REINER marking devices produce precise, high-contrast prints on non-absorbent surfaces such as glass, plastic, or metal.

The specially formulated inks dry quickly and adhere very well to smooth materials. This results in clear, easily readable markings—even under demanding conditions.

Ink colors are available for various applications, including black for light surfaces and yellow for dark surfaces.



The REINER marking devices make it easy to produce desired and required imprints with great freedom of design. The inkjet create imprints in resolutions of up to 300 dpi.

This permits a near-unlimited imprint range in the highest quality – even machine-readable.

THE REINER INKS


REINER inkjet printing cartridges have an high yield. They produce perfect print images and are suitable for the application areas of wood, paper, cardboard, metal and plastic, as well as glass. The cartridges can be replaced in a few simple steps.



Are you looking for the matching cartridge for your device? The printing cartridge finder will help you at once: www.marking.reiner.de/en/ink

TEXT, DATE, TIME

- e. g.
- Best before dates
 - Batch numbers
 - Production date
 - Inbound date ...



GRAPHICS

- e. g.
- Company logo
 - CE mark
 - IPPC logo
 - Recycling icons ...



1D CODE

- e. g.
- Barcode
 - EAN or UPC codes
 - ISBN number in code form




2D CODE

- e. g.
- Data matrix / QR code
 - eCl@ss



WHICH INDUSTRIES BENEFIT ...



Cardboard marking in the packaging industry, product marking, labelling of construction parts, document marking, print images on plastics, integration in production lines, logo printing on pallets, or marking onto stainless steels – nearly all industry needed easy marking solutions.

The simpler printing on the marking is, the less time is needed further downstream in production, and the more quickly logistics will be able to act efficiently, quickly and without defects.

Direct printing with the REINER marking devices will noticeably simplify your work processes.

- Mobile at the workplaces where they are needed, thanks to high-performance rechargeable batteries.
- For optimal printing results thanks to high-quality ink.
- No extensive training needed thanks to intuitive handling.

WHICH SYSTEMS CAN BE USED FOR PRINTING ...



PC-SET GRAPHIC



The PCset graphic software was developed for REINER products and is enclosed free of charge. It is intuitive to use and easy to operate.

Set out right away without any great configuration effort. Create your desired print images in the blink of an eye.

MOBILE-SET GRAPHIC



The free app permits the creation of print images and texts, as well as transfer to the *jetStamp*® 1025/1025 sense and *jetStamp*® graphic 970 marking devices via an Android Smartphone. Load the images right from your files, enjoy the ability to enter texts freely, and comfortably adjust the desired print sizes. *

LABEL SOFTWARE



Continue working with the label software you have always used. All existing templates can be used and easily sent to the marking device. *

INDUSTRY

FOOD

INBOUND GOODS
OUTBOUND GOODS

GOODS
MARKING

COSMETICS

PRODUCTION

DOCUMENT
MANAGEMENT

ADMINISTRATION

LOGISTICS

WOOD/PALLETS

AUTOMOTIVE

METALL

WORD



Mark your products easily with data previously created in Microsoft™ Word in future.

The mobile REINER printers have an integrated interface to permit transfer of Word contents, such as serial print data, by direct printing. *

EXCEL



Do you use Excel to create marking templates? REINER permits simple data transfer and direct printing from Excel (in some cases, installation of Excel add-ins will be necessary).

You can create numbers, letters, 1D and 2D codes in Excel and print them on easily. *

ERP / WWS SYSTEMS



The network-capable, mobile REINER inkjet printers can be easily integrated into existing ERP or goods management systems. They only need to have their programming custom-expanded. *



Then the desired data can be transferred without delay. Processes and demand planning ensured by ERP or WWS are preserved. *

*The included Windows printer driver installs the *jetStamp*® mobile inkjet printers as printers in your system environment.

REINER
MARKING
SOLUTIONS
FOR ALMOST ANY APPLICATION ...

Are you looking for the device to match your demand?
Choose just the REINER marking device to meet your requirements.



Marking device	Imprint				Material			Print size	Print colour	Data transfer	Prints from					Storable print images	Power supply	Display	Druck-resolution	Features
	Numbers, date, time, text	1D sequential and 2D print, graphics capable	Sequential 1D and 2D print, graphics capable	Measuring results (sense objects)	Paper, cardboard, wood, stone/Brick, fabric/textiles	Metal, plastics	Glass				REINER software PCset / PCset easy / PCset graphic	MOBILEset graphic APP	Word, Excel	Label software	ERP systems such as Oracle, Microsoft Dynamics, Lexware					
 jetStamp® 1025	☑	☑	☑		☑	☑	☑	Multiple lines Height: max. 26 mm Width: max. 85 mm	Black Yellow	USB, Bluetooth, WiFi/WLAN	☑	☑	☑	☑	☑	255	Recharge-able battery (approx. 1,000 im-prints)	☑	300 dpi	☑ 100% mobile ☑ Large imprint area ☑ Ideal for small and large objects ☑ Display-guided operation ☑ Print area (optional with accessories): 52 × 85 mm (≈ 2")
 jetStamp® 1025 sense	☑	☑	☑	☑	☑	☑	☑	Multiple lines Height: max. 26 mm Width: max. 85 mm	Black Yellow	USB, Bluetooth, WiFi/WLAN, V24/RS232	☑	☑	☑	☑	☑	255	Recharge-able battery (approx. 1,000 im-prints)	☑	300 dpi	☑ Same model as the jetStamp 1025, but expanded by a connection for sensors ☑ Different measuring tasks with a single measuring device ☑ Available sensors: Barcode Scanner 1D/2D, Sensor Adapter Cable V24/RS232
 jetStamp® graphic 970	☑	☑			☑	☑	☑	Multiple lines Height: max. 12.7 mm Width: max. 65 mm	Black	USB, Bluetooth	☑	☑	☑	☑	☑	4	Recharge-able battery (approx. 1,000 im-prints)		300 dpi	☑ Ideal for medium to small imprint areas ☑ Diverse imprint options ☑ Lightweight device ☑ The station places the device well and securely stored ☑ Quick print image change
 jetStamp® 990	☑				☑	☑	☑	2-lines, 20 characters per line Height: max. 3.2 mm Width: max. 42 mm	Black Red Yellow	USB, Bluetooth	☑					25	Recharge-able battery (approx. 2,000 im-prints)	☑	96 dpi	☑ Ideal for small areas ☑ Prints on curved and irregular surfaces ☑ Operator-friendly ☑ Beginners' model ☑ Fast imprint
 speed-i-jet 798	☑				☑			1-line Height: max. 3.2 mm Width: 40 characters	Black	USB	☑					1	Recharge-able battery (approx. 1,000 im-prints)		96 dpi	☑ Handy pocket format ☑ 100% mobile ☑ User-friendly ☑ Easy handling for documents ☑ Suitable for left- and right-handed users

jetStamp® 1025

MEASURED VALUE
DOCUMENTATION ALL-IN-ONE



The large one: The mobile marking device *jetStamp® 1025* is the ideal solution for printing on large areas, such as pallets, cardboard or packaging.

Entirely without cables or a fixed location, the *jetStamp® 1025* can be used where it is needed. Integrated capping to seal the print head keeps ink from drying out even with longer breaks between uses.

The *jetStamp® 1025* makes work easier in many ways. The integrated display shows the set print image easily legible at all times.

The print images can be transferred to the mobile marking device by Bluetooth, Wi-Fi or USB.

With its integrated multi-triggering, placed both on the side and at the centre of the handle, the device can be handled ergonomically and comfortably.

The *jetStamp® 1025* prints date, time, texts, numbers, graphics, sequential 1D and 2D codes, multiline imprints

- 100% mobile
- Large imprint area
- Ideal for small and large objects
- Display-guided operation
- Large imprint memory



Technical details

Dimensions (L x W x H):	195 x 200 x 100 mm
Weight:	approx. 900 g
Printing technology:	Inkjet
Max. imprint size (W x H):	85 x 26 mm (≈ 1 inch)
Imprint dimensions with accessories (W x H):	85 x 52 mm (≈ 2 inches)
Max. print speed:	< 1 second per imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	1030 000-000 <i>jetStamp® 1025</i> incl. case Basic For the matching accessories and ink, see page 24 and following.



Video
jetStamp® 1025



jetStamp® 1025 sense

MEASURED VALUE DOCUMENTATION FROM A SINGLE SOURCE



The “sense” makes the difference! In addition to the *jetStamp*® 1025 basic model, REINER is offering an extra device solution for mobile measuring tasks and their immediate documentation by direct printing.

The *jetStamp*® 1025 sense model offers maximal flexibility in documenting measured values. The model requires no additional external measuring devices.

The desired sensor (Barcode Scanner 1D/2D, Sensor Adapter Cable V24/RS232) is connected directly to the device. The *jetStamp*® 1025 sense thus represents a closed measuring device with an integrated printer.

The recorded measurement value can be printed directly and repeatedly on documents and other surfaces at the measuring location.

The measurement results are documented immediately and thus remain accessible, visible, and permanently traceable.

Optionally, the recorded measurement values can be stored in the device and transferred individually or in their entirety as a data set to a Windows environment.

The *jetStamp*® 1025 sense prints measuring results (sense objects) date, time, texts, numbers, figures, sequential 1D and 2D codes, multiline imprints

- Different measuring tasks with a single measuring device
- Available sensors: Barcode Scanner 1D/2D code reader, Sensor Adapter Cable V24/RS232



Technical details	
Dimensions (L x W x H):	195 x 200 x 100 mm
Weight:	approx. 900 g
Printing technology:	Inkjet
Max. imprint size (W x H):	85 x 26 mm (≈ 1 inch)
Imprint dimensions with accessories (W x H):	85 x 52 mm (≈ 2 inches)
Max. print speed:	< 1 second per imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	1030 000-002 <i>jetStamp</i> ® sense 1025 incl. case PRO For the matching accessories and ink, see page 24 and following.




Video
jetStamp®
1025 sense



Now up to 2 inches imprint height (52 mm)

With the appropriate accessory, you can increase your print height from approximately 1 inch to 2 inches (26 mm to 52 mm).

The accessories ensure that the device is held securely and enable precise, clearly legible markings – rough or smooth, depending on the surface.



2-Inch Print Extension Spikes

The 2-Inch Print Extension Spikes has been specially developed for rough wooden surfaces, e.g. EPAL Euro pallets. Thanks to the spikes, which press easily into the wood, the template remains stable and enables uniform 2-inch (52 mm) impressions – even on rough-sawn surfaces.

As a certified EPAL device, it is ideal for pallet and wood-related applications where reliable and highly visible markings are required.



2-Inch Print Extension Non-Slip

The 2-Inch Print Extension Non-Slip is the right choice for smooth and flat surfaces. The special adhesive coating ensures a secure hold without slipping and enables precise 2-inch (52 mm) impressions, for example, when labeling cardboard with a large QR code.

Perfect for industrial environments with smooth surfaces where larger and cleaner markings are required.



Technical specifications

Imprint height:	up to 52 mm (≈ 2 inches)
Compatible devices:	jetStamp® 1025 and jetStamp® 1025 sense
Impressions:	Numbers, letters, symbols, logos, such as EPAL, IPPC, QR codes
Suitable materials:	Wood/pallets and smooth surfaces
Material:	Metal
Order number Spikes:	1037 630-010
Order number Non-Slip :	1037 630-000

jetStamp[®] graphic 970

THE HANDY PRO



Handy and easy to program – the *jetStamp[®] graphic 970* is an inkjet printer that marks documents or products easily and quickly, and at the highest print quality.

The specially developed MP-ink permits printing on different materials for perfect, machine-readable marking.

The device is sealed in the station to prevent the ink from drying out during longer work breaks. Its mobility makes it possible to integrate the *jetStamp[®] graphic 970* in the process chain just where it is needed.

The required print images can be created quickly and easily at the computer and transferred by USB or Bluetooth.

A memory option for up to four imprints that can be switched easily via a setting wheel optimises work steps and saves working time.

The *jetStamp[®] graphic 970* prints dates, times, texts, numbers, graphics, sequential 1D codes and 2D codes, multiline imprints



- For medium and small imprint areas
- Diverse imprint options
- Lightweight device
- The device is securely stored and placed well by the station
- Quick print image change



Technical details	
Dimensions (L x W x H):	140 x 85 x 160 mm Base station 150 x 140 x 30 mm
Weight:	approx. 520 g
Printing technology:	Inkjet
Max. imprint size (W x H):	65 x 12.7 mm
Max. print speed:	< 1 second per imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	970 000-002 <i>jetStamp[®] graphic 970</i> incl. case Basic For the matching accessories and ink, see page 24 and following.



Video
jetStamp[®] graphic 970



jetStamp® 990

THE QUICK AND HANDY ONE



The REINER *jetStamp*® 990 is characterised by rapid speed and particularly handy use thanks to its compact size.

The smallest device from the *jetStamp*® family permits quick and simple markings on any smooth or irregular surface. Like its bigger siblings, the inkjet printer is characterised by optimal integration options: it can be used mobile at

the respective workplace. The robust *jetStamp*® 990 offers perfect flexibility with its memory options. Up to 25 customised texts or special functions can be stored in the device. Five of these slots are filled with pre-set example images at delivery.

The integrated LC display shows the set print image easily legible at all times in order to prevent marking errors.

The *jetStamp*® 990 prints date, time, texts, numbers, one- and two-line imprints

- Ideal for small areas
- Also prints on curved surfaces
- User-friendly
- Starting model
- Quick imprint



Technical details

Dimensions (L x W x H):	100 x 80 x 160 mm Base station 115 x 145 x 35 mm
Weight:	approx. 500 g
Printing technology:	Inkjet
Max. imprint size (W x H):	2 lines, each 3.2 x 42 mm (20 characters)
Max. print speed:	< 1 second per imprint
Print resolution:	96 dpi
Battery capacity:	up to 2,000 imprints
Order number:	990 000-000 <i>jetStamp</i> ® 990 incl. case Basic For the matching accessories and ink, see page 24 and following.



Video
REINER 990

BATCH 07:33
AR/005/ 01.12.2029
01.12.2029
09:10
MHD: 01.12.29
53204587
01.DEC 2029
27893217
STEEL C78

speed-i-Jet798

THE LITTLE FAST ONE



Complete independence: The *speed-i-Jet 798* is the handy marking solution for mobile printing of custom texts, sequential numbers, date, and time.

The print image can be created easily on the computer before use and transmitted via USB.


Documents such as incoming mail, delivery notes, or lab reports can be labeled directly and individually.

The handy pocket format fits into any work clothing.

The *speed-i-Jet 798* is easy to operate: Simply pull it across the surfaces to be printed on and push the red button. Done!

The *speed-i-Jet 798* prints date, time, texts, numbers, imprints in one line


- Handy pocket format
- 100% mobile
- User-friendly
- Simple handling
- Suitable for left- and right-handed users



Technical details	
Dimensions (L x W x H):	175 x 39 x 45 mm
Weight:	approx. 125 g
Printing technology:	Inkjet
Number height:	3.2 mm
Max. imprint size:	40 characters, in one line
Print resolution:	96 dpi
Battery capacity:	up to 1,000 imprints
Order number:	798 000-000 <i>speed-i-Jet 798</i> For the matching accessories and ink, see page 24 and following.



Video
speed-i-Jet 798



THE MATCHING
INK
FOR YOUR USE ...

When material matters REINER offers high-quality inks matching the surface of the material to be marked: light inks for dark surfaces, dark inks for light surfaces.



Marking device			Colour	Designation	Material		Item no.
jetStamp® 1025 jetStamp® 1025 sense			☒ Black	P5-S3-BK	Paper, cardboard, wood		1037 100-000
			☒ Black	P5-MP3-BK	Paper, cardboard, wood, metal, plastic		1037 100-120
			☒ Black	P5-MP4-BK	Paper, cardboard, wood, metal, plastic, glass		1037 100-130
			☒ Yellow	P5-MP6-YE	Paper, cardboard, wood, metal, plastic, glass		1037 100-140
jetStamp® graphic 970			☒ Black	P3-S-BK	Paper, cardboard, wood		947 100-000
			☒ Black	P3-MP3-BK	Paper, cardboard, wood, metal, plastic		947 100-120
			☒ Black	P3-MP4-BK	Paper, cardboard, wood, metal, plastic, glass		947 100-130
jetStamp® 990			☒ Black	P1-S-BK	Paper, cardboard, wood		801 307-000
			☒ Black	P1-MP3-BK	Paper, cardboard, wood, metal, plastic		791 060-020
			☒ Black	P1-MP4-BK	Paper, cardboard, wood, metal, plastic, glass		791060-030
			☒ Yellow	P1-MP6-YE	Paper, cardboard, wood, metal, plastic, glass		791 060-040
speed-i-Jet 798			☒ Black	P1-S-BK	Paper, cardboard, wood		801 307-000

WELL EQUIPPED
WITH THE RIGHT
ACCESSORIES ...

**Would you like
a little more?** Using the matching REINER accessories per-
mits precise adjustment of the mobile marking devices to their areas
of use. The „small and large helpers“ facilitate and secure repeating
work processes and support ergonomic workplace design.



		jetSafe PRO Case	jetSafe BASIC Case	Protective Silicone Cover	Protective Textile Cover	Positioning Template Set	Precision-Clip CAP990	Centering Aid for EPAL Block	Holding Arm	Positioning Mat	2-Inch Print Exten- sion Spikes	2-Inch Print Exten- sion Non-Slip	Positioning Plate	Foot Switch
Marking devices														
		Sturdy carrying ca- se with room for the device and accesso- ries	Carrying case for safe storage of the device	Shock- and dirt-re- sistant silicone case	Textile protective cover for dusty environments	Supports printing small parts and fle- xible materials	Precise print posi- tioning on uneven or curved surfaces Oberflächen	For optimal place- ment on the pallet longitudinal beam	Holding Arm for at- taching the device to the workstation.	Uniform pressure on small or curved ob- jects	Non-slip template for marking wood and pal- lets	Non-slip template for smooth and flat surfa- ces	Positioning aid for cur- ved and sensitive sur- faces	External decompressi- on solution for foot or hand
		☒	☒	☒	☒	☒		☒	☒	☒	☒	☒		☒
jetStamp® 1025	Item Nr.	1037 040-000	1037 010-100	1037 600-000	1037 260-000	1037 240-000		1037 670-000	1037 270-000	1037 210-000	1037 630-010	1037 630-000		381050-005
		☒	☒	☒	☒	☒		☒	☒	☒	☒	☒		☒
jetStamp® 1025 sense	Item Nr.	1037 040-000	1037 010-100	1037 600-010	1037 260-000	1037 240-000		1037 670-000	1037 270-000	1037 210-000	1037 630-010	1037 630-000		381 050-005
			☒						☒	☒				☒
jetStamp® graphic 970	Item Nr.		1037 010-100						1037 270-000	1037 210-000				381 050-030
			☒				☒		☒	☒			☒	☒
jetStamp® 990	Item Nr.		1037 010-100				990 410-000		1037 270-000	1037 210-000			794 030-100	381050-005
speed-i-jet 798	Item Nr.													

WELL EQUIPPED
WITH THE RIGHT
ACCESSORIES ...

**Would you like
a little more?** Using the matching REINER accessories per-
mits precise adjustment of the mobile marking devices to their areas
of use. The „small and large helpers“ facilitate and secure repeating
work processes and support ergonomic workplace design.



28 |

		Packaging Print Station PS100	Paper Print Station PS04	Paper Print Station PS12	Sensor Adapter Cable V24/R232	Barcode Scanner 1D/2D	Carrying Strap	Ink Collection Tray Set	AA Rechargeable Batteries (Pack)	Replacement Seal Set P5-S3	Replacement Seal Set P5-MP3/P5-MP4
Marking devices		Stationary system for consistent pa- ckaging labeling	Easy printing of documents	Manual single feed for packaging labeling	Connection cable for direct transmis- sion of sensor data	Scans 1D and 2D barcodes for direct data transfer to the printer	Secure carrying strap for comfort- able work on the go	A solution for optimizing print quality	High-performance batteries	Replacement seals in a pack of 10	Replacement seals in a pack of 10
		☒		☒			☒	☒	☒	☒	☒
jetStamp® 1025	Item nr.	1034010-000		1037 300-000			1037 580-000	1037 230-000	946 192-100	1037 290-000	1037 290-100
		☒		☒	☒	☒	☒	☒	☒	☒	☒
jetStamp® 1025 sense	Item nr.	1034010-000		1037 300-000	1037 540-010	1037 520-010	1037 580-000	1037 230-000	946 192-100	1037 290-000	1037 290-100
									☒		
jetStamp® graphic 970	Item nr.								946 192-100		
		☒	☒						☒		
jetStamp® 990	Item nr.	1034010-000	796 205-100						946 192-100		
									☒		
speed-i-jet 798	Item nr.								946 192-100		

| 29



REINER



Ernst Reiner GmbH & Co. KG
Baumannstraße 16
78120 Furtwangen | Germany
Phone: +49 7723 657-0
reiner@reiner.de
www.reiner.de